

ZHEJIANG LISHUN TEXTILE CO.,LTD E-CATALOG



OFFICIAL WEBSITE:<https://www.zjls-textile.com/>

contact us: xgt@zjls-textile.com

our address:

Floor 3-4, Building 2, Libing Chemical Fiber, Yunhe North Industrial Zone, Dama Town, Tongxiang City, Jiaxing City, Zhejiang Province, China.

OUR CERTIFICATE

- OEKO-TEX 100
- SGS 2026
- SCOPE CERTIFICATE
- GRS STANDARD
- FIRE RETARDANT NFPA701/BS5827/B1/C1

SUPPORT VARIOUS TYPES OF ORIGIN
CERTIFICATION
AND INTERNATIONAL CERTIFICATION



CATALOG

ROLLER BLIND FABRICS PRODUCTS:

- COATING SCRAPING FABRICS
- COATING FOAMING FABRICS
- COATING DOUBLE COMPOSITE FABRICS
- COATING SUNSCREEN FABRICS

SOFT CURTAIN FABRICS:

- COATING DOUBLE COMPOSITE FABRICS
- COATING BLEACH/DYEING FABRICS
- COATING FLOCKING FABRICS
- COATING FR FABRICS

TPU FABRICS (new season products for 26!)

OFFICIAL WEBSITE:<https://www.zjls-textile.com/>

contact us: xgt@zjls-textile.com

our address:

Floor 3-4, Building 2, Libing Chemical Fiber, Yunhe North Industrial Zone, Dama Town, Tongxiang City, Jiaying City, Zhejiang Province, China.



ROLLER BLIND FABRICS

OFFICIAL WEBSITE:<https://www.zjls-textile.com/>

contact us: xgt@zjls-textile.com

our address:

Floor 3-4, Building 2, Libing Chemical Fiber, Yunhe North Industrial Zone, Dama Town, Tongxiang City, Jiaxing City, Zhejiang Province, China.

ROLLER BLINDS-coating scraping technology



LS23007
technology: double scraping back
composition: 100%polyster
width: 300cm
weight: 380g



LS23008
technology: double scraping back
composition: 100%polyster
width: 300cm
weight: 210g



LS23009-1/2
technology: double scraping back
composition: polyster+linen
width: 300cm
weight: 155g



LS2401
technology: double scraping back
composition: 100%polyster
width: 250cm
weight: 170g

ROLLER BLINDS-coating scraping technology



LS23002-1/2/3
technology: double scraping
composition: 100%polyster
width: 300cm weight:
380g




LS2507
technology: double scraping
composition: 100%polyster
width: 300cm weight:
265g




LS23004
technology: double scraping back-sunscreen
composition: 100%polyster
width: 300cm
weight: 290g

ROLLER BLINDS-coating foaming technology



LS23005
technology: foaming-sunscreen
composition: 100%polyster
width: 300cm
weight: 420g



LS23002-1/2/3
technology: double foaming
composition: 100%polyster
width: 300cm weight:
380g




LS23003
technology: foaming coating back
composition: 100%polyster
width: 300cm
weight: 380g



LS23009-3/4/5
technology: double foaming-silver
composition: polyester+linen
width: 200cm
weight: 310g


ROLLER BLINDS-coating foaming technology




LS23010
technology: foaming
composition: 100%polyster
width: 200cm weight:
285g



LS23011/LS23012
technology: foaming
composition: 100%polyster
width: 300cm weight:
400g-420g



LS23013
technology: foaming
composition: 100%polyster
width: 300cm weight:
320g



LS23014
technology: foaming
composition: 100%polyster
width: 300cm weight:
440g


ROLLER BLINDS-coating foaming technology




LS23015
technology: foaming
composition: 100%polyster
width: 300cm weight:
440g



LS23016
technology: foaming
composition: 100%polyster
width: 300cm weight:
440g




LS23017
technology: foaming
composition: 100%polyster
width: 280cm weight:
420g




LS2402
technology: foaming
composition: 100%polyster
width: 250cm weight:
310g

ROLLER BLINDS-coating foaming technology




LS2410
technology: foaming
composition: 100%polyster
width: 200cm weight:
320g



LS2412
technology: foaming same color
composition: 100%polyster
width: 180cm
weight: 320g



LS2423
technology: foaming
composition: 100%polyster
width: 300cm weight:
360g



LS2424
technology: foaming
composition: 100%polyster
width: 300cm weight:
360g

ROLLER BLINDS-coating foaming technology




LS2404
technology: foaming
composition: 100%polyester
width: 300cm weight:
380g



LS2406
technology: foaming
composition: 100%polyester
width: 300cm weight:
380g




LS2408
technology: foaming
composition: 100%polyester
width: 300cm weight:
380g




LS2428
technology: foaming
composition: 100%polyester
width: 300cm weight:
380g


ROLLER BLINDS-coating foaming technology



LS2430
technology: foaming
composition: 100%polyster
width: 300cm weight:
380g



LS2502
technology: foaming same color
composition: 100%polyster
width: 300cm
weight: 380g



LS2503
technology: foaming same color
composition: 100%polyster
width: 300cm
weight: 380g



LS2504
technology: foaming-silver
composition: 100%polyster
width: 300cm weight:
380g

ROLLER BLINDS-coating foaming technology



LS2505
technology: foaming same color
composition: 100%polyster
width: 300cm
weight: 380g



LS2506
technology: foaming silver
composition: 100%polyster
width: 300cm weight:
380g



LS2508
technology: foaming
composition: 100%polyster
width: 300cm weight:
380g



LS2509
technology: foaming
composition: 100%polyster
width: 300cm weight:
380g

ROLLER BLINDS-coating foaming technology




LS2510
technology: foaming same color
composition: 100%polyster
width: 300cm
weight: 380g



LS2511
technology: foaming
composition: 100%polyster
width: 300cm weight:
380g



LS2512
technology: foaming same color
composition: 100%polyster
width: 300cm
weight: 380g



LS2513
technology: foaming same color
composition: 100%polyster
width: 300cm
weight: 380g

ROLLER BLINDS-coating foaming technology




LS2514
 technology: foaming same color
 composition: 100%polyster
 width: 300cm
 weight: 380g



LS2515
 technology: foaming same color
 composition: 100%polyster
 width: 300cm
 weight: 380g




LS2518
 technology: foaming same color
 composition: 100%polyster
 width: 300cm
 weight: 380g




LS2519
 technology: foaming same color
 composition: 100%polyster
 width: 300cm
 weight: 380g


ROLLER BLINDS-coating foaming technology



LS2520
technology: foaming same color
composition: 100%polyster
width: 300cm
weight: 380g



LS2521
technology: foaming same color
composition: 100%polyster
width: 300cm
weight: 380g



LS2528
technology: foaming same color
composition: 100%polyster
width: 300cm
weight: 380g




LS2602
technology: foaming same color
composition: 100%polyster
width: 300cm
weight: 380g

ROLLER BLINDS-coating foaming technology



LS2409
technology:foaming+silver back
composition:100%polyster
width:200cm
weight:170g



LS2419
technology:foaming
composition:100%polyster
width:280cm
weight:360g



LS2420
technology:foaming
composition:100%polyster
width:280cm
weight:360g



LS2421
technology:foaming
composition:100%polyster
width:280cm
weight:360g

ROLLER BLINDS-coating bulking technology




LS2422
technology: bulking
composition: 100%polyster
width: 300cm weight:
380g



LS2426
technology: bulking
composition: 100%polyster
width: 300cm weight:
380g



LS2427
technology: bulking
composition: 100%polyster
width: 300cm weight:
380g



LS2429
technology: bulking
composition: 100%polyster
width: 300cm weight:
380g


ROLLER BLINDS-coating bulking technology



LS2411
technology: bulking
composition: 100%polyster
width: 300cm weight:
380g




LS2413
technology: bulking+Nacre powder
composition: 100%polyster width:
300cm
weight: 380g



LS2501
technology: bulking
composition: 100%polyster
width: 300cm weight:
380g



LS2415
technology: bulking
composition: 100%polyster
width: 300cm weight:
380g



LS2416
technology: bulking
composition: 100%polyster
width: 300cm weight:
380g

ROLLER BLINDS-coating bulking technology




LS2403
technology: bulking
composition: 100%polyester
width: 300cm weight:
380g



LS2405
technology: foaming
composition: 100%polyester
width: 300cm weight:
380g



LS2407
technology: foaming
composition: 100%polyester
width: 300cm weight:
380g



LS2409
technology: foaming
composition: 100%polyester
width: 300cm weight:
380g

ROLLER BLINDS-coating bulking technology



LS2425
technology: Bulking
composition:100%polyster
width:280cm
weight:110g

ROLLER BLINDS-coating double composite technology



LS2417
technology: double composite
composition: 100%polyster
width: 300cm
weight: 380g



LS2418
technology: double composite
composition: 100%polyster
width: 300cm
weight: 380g




LS2516
technology: double composite-TPU
composition: 100%polyster width:
300cm
weight: 380g




LS2517
technology: double composite
composition: 100%polyster
width: 300cm
weight: 380g

ROLLER BLINDS-coating double composite technology



LS2522
technology: double composite
composition: 100%polyster
width: 300cm
weight: 380g



LS2523
technology: double composite
composition: 100%polyster
width: 300cm
weight: 380g




LS2524
technology: double composite
composition: 100%polyster
width: 300cm
weight: 380g




LS2525
technology: double composite
composition: 100%polyster
width: 300cm
weight: 380g


ROLLER BLINDS-coating double composite technology



LS2526
technology: double composite
composition: 100%polyster
width: 300cm
weight: 380g



LS2527
technology: double composite
composition: 100%polyster
width: 300cm
weight: 380g



SOFT CURTAIN FABRICS

OFFICIAL WEBSITE:<https://www.zjls-textile.com/>

contact us: xgt@zjls-textile.com

our address:

Floor 3-4, Building 2, Libing Chemical Fiber, Yunhe North Industrial Zone, Dama Town, Tongxiang City, Jiaxing City, Zhejiang Province, China.

SOFT CURTAIN-coating silicon technology



LS2176-2181
technology: silicon back
composition: 100%polyster
width: 280cm weight:
280g



LSR2405-2412
technology: silicon
composition: 100%polyster
width: 280cm weight:
280g



LSR2520
technology: double composi
composition: 100%polyster
width: 300cm
weight: 320g



LSR2406
technology: silicon
composition:100%
polyster
width: 280cm
weight: 280g


SOFT CURTAIN-coating silicon technology



LSR2407
technology: silicon
composition:100%polyster
width:280cm
weight:280g



LSR2408
technology: silicon
composition:100%polyster
width:280cm
weight:280g




LSR2409
technology: silicon
composition:100%polyster
width:280cm
weight:280g



LSR2410
technology: silicon
composition:100%polyster
width:280cm
weight:280g

SOFT CURTAIN-coating silicon technology



LSR2411
technology:silicon
composition:100%polyster
width:280cm
weight:280g


SOFT CURTAIN-coating double composite technology



LSFH2301
technology: double composite
composition: 100%polyster
width: 280cm
weight: 350g



LSFH2302
technology: double composite
composition: 100%polyster
width: 280cm
weight: 350g



LSFH2303
technology: double composite
composition: 100%polyster
width: 280cm
weight: 280g



LSFH2304
technology: double composite
composition: 100%polyster
width: 280cm
weight: 300g

SOFT CURTAIN-coating double composite technology



LSFH2305
technology: double composite
composition: 100%polyster
width: 280cm
weight: 350g



LSFH2306
technology: double composite
composition: 100%polyster
width: 280cm
weight: 260g



LSFH2307
technology: double composite
composition: 100%polyster
width: 280cm
weight: 320g



LSFH2308
technology: double composite
composition: 100%polyster
width: 280cm
weight: 320g

SOFT CURTAIN-coating double composite technology



LSFH2309
technology: double composite
composition: 100%polyster
width: 280cm
weight: 320g



LSFH2310
technology: double composite
composition: 100%polyster
width: 280cm
weight: 270g



LSFH2416
technology: double composite
composition: 100%polyster
width: 280cm
weight: 390g



LSFH2417
technology: double composite
composition: 100%polyster
width: 280cm
weight: 390g

SOFT CURTAIN-coating double composite technology



LSFH2521
technology: double composite same color
composition: 100%polyster width:
300cm
weight: 350g



LSFH2525
technology: double composite same color
composition: 100%polyster width:
300cm
weight: 360g



LSFH2534
technology: TPU double composite
composition: 100%polyster width:
280cm
weight: 315g




LSFH2535
technology: double composite
composition: 100%polyster
width: 280cm
weight: 375g

SOFT CURTAIN-coating double composite technology




LSFH2536
technology: double composite
composition: 100%polyster
width: 280cm
weight: /



LSFH2601
technology: double composite
composition: 100%polyster
width: 300cm
weight: 355g



LSFH2602
technology: double composite
composition: 100%polyster
width: 300cm
weight: 375g



LSFH2604
technology: double composite
composition: 100%polyster
width: 300cm
weight: 375g

SOFT CURTAIN-coating double composite technology



LSFH2605
technology: double composite
composition: 100%polyster
width: 300cm
weight: 405g



LSFH2607
technology: double composite
composition: 100%polyster
width: 280cm
weight: 390g



LSFH2606
technology: double composite
composition: 100%polyster
width: 300cm
weight: 250g



LSFH2608
technology: double composite
composition: 100%polyster
width: 280cm
weight: 460g

SOFT CURTAIN-coating double composite technology



LSFH2401
technology: double
composite
composition: 100%polyster
width:280cm
weight:325g



LSFH2402
technology: double
composite
composition: 100%polyster
width:280cm
weight:260g

SOFT CURTAIN-coating bleach/dyeing technology



LSFH2311
technology: double composite
composition: 100%polyster
width: 280cm
weight: 170g

SOFT CURTAIN-coating flocking technology



LSR2308
technology: double composite
composition: 100%polyster
width: 280cm
weight: 290g



LSR2414
technology: double composite
composition: 100%polyster
width: 280cm
weight: 275g



LSR2415
technology: double composite
composition: 100%polyster
width: 280cm
weight: 275g




LSR2518
technology: double composite
composition: 100%polyster
width: 300cm
weight: 310g

SOFT CURTAIN-coating flocking technology



LSR2519
technology: double composite
composition: 100%polyster
width: 300cm
weight: 330g



LSR2526
technology: double composite
composition: 100%polyster
width: 300cm
weight: 280g



LSR2527
technology: double composite
composition: 100%polyster
width: 300cm
weight: 280g



LSR2528
technology: double composite
composition: 100%polyster
width: 300cm
weight: 270g


SOFT CURTAIN-coating flocking technology



LSR2529
technology: double composite
composition: 100%polyster
width: 300cm
weight: 270g



LSR2530
technology: double composite
composition: 100%polyster
width: 300cm
weight: 320g



LSR2533
technology: double composite
composition: 100%polyster
width: 280cm
weight: 385g



LSR2537
technology: double composite
composition: 100%polyster
width: 280cm
weight: 300g

SOFT CURTAIN-coating flocking technology



LSFH2609
technology: double composite
composition: 100%polyster
width: 300cm
weight: 370g



LSFH2610
technology: double composite
composition: 100%polyster
width: 280cm
weight: 380g

SOFT CURTAIN-coating FR technology



LSFH2403
technology: double composite + CI FR
composition: 100%polyster width:
280cm
weight: 460g



LSFH2531
technology: double composite + CI FR
composition: 100%polyster width:
300cm
weight: 460g/370g



LSR2532
technology: double composite + CI FR
composition: 100%polyster width:
280cm
weight: 340g



LSFH2538
technology: double composite + 701 FR
composition: 100%polyster width:
280cm
weight: 400g

SOFT CURTAIN-coating FR technology



LSFH2539
technology: double composite + 701 FR
composition: 100%polyster width:
280cm
weight: 380g

TPU fabrics



LSFH1037
technology: tpu+linen+double composite
composition: 100%polyster width:
280cm-340cm
weight: 230g



LSFH1039
technology: double composite+tpu
composition: 100%polyster width:
280cm-340cm weight: 205g



LSFH1032
technology: tpu+double composite
composition: 100%polyster width:
280cm-340cm weight: 140g



LSR1036
technology: double composite+tpu+liene
composition: 100%polyster width:
280cm-340cm
weight: 215g

TPU fabrics



LSFH1050
technology: tpu+chenille
composition: 100%polyster
width: 280cm-340cm
weight: 230g



LSFH1052
technology: tpu+double composite
composition: 100%polyster width:
280cm-320cm weight: 150g



LSR1053
technology: tpu+linen
composition: 100%polyster
width: 280cm-320cm
weight: 210g



LSR1055
technology: tpu+linen
composition: 100%polyster
width: 280cm-320cm
weight: 210g

TPU fabrics



LSR1056
technology: tpu+linen
composition: 100%polyster
width: 280cm-320cm
weight: 210g



LSFH1058
technology: tpu+linen
composition: 100%polyster
width: 280cm-320cm
weight: 185g



LSR1063
technology: tpu+linen
composition: 100%polyster
width: 280cm-320cm
weight: 180g



LSR1068-A
technology: tpu+linen
composition: 100%polyster
width: 280cm-320cm
weight: 220g

TPU fabrics



LSR1068-B
technology: tpu+linen
composition: 100%polyster
width: 280cm-320cm
weight: 220g



LSR1069-A
technology: tpu+linen
composition: 100%polyster
width: 280cm-320cm
weight: 220g



LSR1069-B
technology: tpu+linen
composition: 100%polyster
width: 280cm-320cm
weight: 220g



LSR1071-A
technology: tpu
composition: 100%polyster
width: 280cm-320cm
weight: 200g

TPU fabrics



LSR1071-B
technology: tpu
composition: 100%polyster
width: 280cm-320cm
weight: 200g



LSR1030
technology: tpu+double composite
composition: 100%polyster width:
280cm-340cm weight: 230g



LSR1031
technology: tpu+double composite
composition: 100%polyster width:
280cm-340cm weight: 205g